	Application No.	Applicant(s)
Notice of Allowability	10/717,712	FRUTSCHI, HANS ULRICH
	Examiner	Art Unit
	Christopher Verdier	3745
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Applicant's amendment dated 2-23-06</u> .		
2. The allowed claim(s) is/are 1,3 and 5-15.		
<ol> <li>Acknowledgment is made of a claim for foreign priority una a)</li></ol>	been received.  been received in Application No cuments have been received in this communication to file a reply of this communication to file a reply of	national stage application from the
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>		
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)!  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 2-23-06  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Date 8), 7. ☑ Examiner's Amendm	ė "

Application/Control Number: 10/717,712

Art Unit: 3745

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the abstract:

In the amended abstract of February 23, 2006, line 1, "a" has been changed to -- A --.

The above change to the abstract has been made to correct an informality therein.

## Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The Search Report of November 11, 2004 for the European Application 03 10 4164 indicates Japanese Patent 2000 352320 as an "X" reference against claims 1-4, and indicates U.S. Patent 4,773,846 as a "Y" reference against claim 7. With regard to amended claim 1, the Japanese Patent 2000-352320 discloses plural tubular elements 12 with nozzles 17, but does not disclose that the tubular elements have an inner space with the nozzles arranged on the inside of the tubular elements and oriented to inject into the inner space of the tubular elements. With regard to amended claim 7, U.S. Patent 4,773,846 discloses plural tubular elements 250, but does

Art Unit: 3745

not disclose that the plural tubular elements are arranged essentially parallel to the direction of flow of the intake airstream, and does not disclose at least two carrying walls arranged essentially perpendicular to the direction of flow of the intake airstream, into which at least two carrying walls the tubular elements are incorporated so that the tubular elements pass through the at least two carrying walls.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Verdier whose telephone number is (571) 272-4824. The examiner can normally be reached on Monday-Friday from 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward K. Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C.V. April 30, 2006 Christopher Verdier Primary Examiner Art Unit 3745